





6-man Cruiser liferaft



PLASTIMO EXCLUSIVITY :  
the double chamber



Useful dimensions, i.e. useful area inside liferaft and headroom below archtube.

## Cruiser liferaft

Designed for **coastal cruising and moderate navigation conditions.**

Different versions of survival equipment are offered : see full description of included equipment on following pages.

- Single floor on Cruiser Standard.
- Insulating double floor on Cruiser ORC and ORC+.

	CRUISER LIFERAFT					
	4-man		6-man		8-man	
	Valise	Canister	Valise	Canister	Valise	Canister
<b>Cruiser Standard</b>	<b>28822</b> 21.5 kg 65 x 43 x 25	<b>57042</b> 24.5 kg 74 x 50 x 21	<b>27979</b> 25.5 kg 73 x 40 x 25	<b>57047</b> 28.5 kg 74 x 50 x 21	<b>29132</b> 31 kg 78 x 47 x 28	<b>57068</b> 34 kg 74 x 50 x 25
<b>Cruiser ORC</b>	<b>28826</b> 22.5 kg 70 x 42 x 25	<b>57043</b> 25.5 kg 74 x 50 x 21	<b>27983</b> 26.5 kg 73 x 42 x 27	<b>57048</b> 29.5 kg 74 x 50 x 23	<b>29136</b> 32 kg 78 x 47 x 28	<b>57069</b> 35 kg 82 x 52 x 26
<b>Cruiser ORC+</b>	<b>28830</b> 28 kg 70 x 42 x 27	<b>57044</b> 31 kg 74 x 50 x 23	<b>27987</b> 32.5 kg 73 x 42 x 28	<b>57049</b> 35.5 kg 74 x 50 x 25	<b>29140</b> 39 kg 78 x 48 x 28	<b>57070</b> 42 kg 82 x 52 x 26

Dimensions in cm, as a guide only (length x width x height).  
Dimensions of liferaft in a valise particularly may fluctuate by  $\pm 3$  cm.

# Liferaft equipment



## Raft equipment

Equipment	Liferaft model
A. Thermal protective overalls	
B. Floating anchor	
C. Sponge	
D. Bailer	
E. Floating knife	
F. Pump	
G. Checkbook and liferaft instructions manual	
H. Survival instructions and signal card	
I. Repair kit	
J. Rescue quito with line	
K. Paddles	

## Personal survival

L. Rainwater collecting pouch
M. Water (quantity per person)
N. Graduated cup
O. Food rations (quantity per person)
P. Fishing kit
Q. First aid kit
R. Seasickness pills (6/person)
- Raincatching gutter on canopy
- Seasickness pouch (1/person)

## Signalling equipment

S. Inside lamp, on arch tube
T. Whistle
U. Outside light on canopy
V. Signalling mirror
W. Red handflares, SOLAS
X. Parachute rockets, SOLAS
- Floating smoke, SOLAS
Y. Waterproof torch, with spare Battery and bulb
Z. Chemical light sticks
- Retro-reflective tapes on canopy
- Radar-reflecting tapes
- Retro-reflective tapes on bottom (to spot capsized raft)

	CRUISER STANDARD	CRUISER ORC	CRUISER ORC+	COASTAL ISO	IBIZA	TRANSOCEAN ISO-OSR PACK <24H	TRANSOCEAN ISO-OSR PACK >24H
	-	-	-	-	2, SOLAS	-	2, SOLAS
	1 0,40 m <sup>2</sup> + 10 m line	1 0,40 m <sup>2</sup> + 10 m line	2 0,40 m <sup>2</sup> + 10 m line	1 0,67 m <sup>2</sup> + 30 m line	2, SOLAS + 30 m line (1 automatic anchor)	1 0,67 m <sup>2</sup> + 30 m line	1 0,67 m <sup>2</sup> + 30 m line
	1	2	2	2	2	2	2
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	1 + 30 m line	1 + 30 m line	1 + 30 m line	1 + 30 m line	1 + 30 m line	1 + 30 m line	1 + 30 m line
	1	2	2	2	2	2	2
	1	1	1	-	1	1	1
	0,2 L	-	0,5 L	-	-	-	1,5 L
	-	-	1	-	-	-	-
	-	-	125 g	-	-	-	500 g
	-	-	1	-	-	-	-
	-	-	1	-	1	-	1
	-	✓	✓	✓	✓	✓	✓
	1	1	1	-	1	1	1
	1	2	2	2	2	2	2
					1	1	1
	-	-	1	1	1	1	1
	-	-	-	1	1	1	1
	-	-	1	1	1	1	1
	-	3	3	3	3	3	6
	-	-	2	2	2	2	2
	-	-	-	-	2	-	-
	1	1	1	1	1	1	2
	-	-	2	-	-	-	-
	-	300 cm <sup>2</sup>	300 cm <sup>2</sup>	900 cm <sup>2</sup>	900 cm <sup>2</sup>	900 cm <sup>2</sup>	900 cm <sup>2</sup>
	-	-	-	-	7300 cm <sup>2</sup>	-	-
	-	-	-	600 cm <sup>2</sup>	600 cm <sup>2</sup>	600 cm <sup>2</sup>	600 cm <sup>2</sup>



## Universal cradle

**27462**

Stainless steel, adjustable cradle. Fits all liferafts.

Installation possibilities :

- Horizontally on deck.
- Vertically on pushpit or transom.

Tube diameter : 19 mm.



## Standard deck-mount cradle

Stainless steel cradle to be mounted horizontally on deck.

Tube diameter : 22 mm.

Liferaft model	Standard deck-mount cradle	Ref.
<b>Cruiser (ref. no. of liferaft &gt; 56000)</b>		
Cruiser 4, Cruiser 6 std, ORC & GR	8	<b>53442</b>
<b>Other models</b>		
Capri 4 & Ibiza 4, Transocean 4, Offshore 4 & 6, Offshore Plus 4 & 6	6	<b>18673</b>
Offshore 8, Transocean 6	2	<b>10566</b>
Offshore Plus 8, Offshore 10, Transocean 8, Transocean Plus 6, Capri 6, Ibiza 6 & 8	3	<b>10567</b>
Offshore Plus 10, Transocean 10 & 12, Ibiza 10, Transocean Plus 8 & 10, Capri 8 & 10	4	<b>10568</b>
Coastal ISO 4, 6 & 8, Giglio 6	8	<b>53442</b>

316L  
STAINLESS STEEL



## Deck-mount cradle with straps

Stainless steel cradle to be mounted horizontally on deck.

Tube diameter : 25 mm. Comes complete with set of adjustable straps, 40 mm wide.

This cradle is the only model compatible with a hydrostatic release unit.

Liferaft model	Deck-mount cradle + straps	Ref.
Capri 4 & Ibiza 4, Offshore 4 & 6, Transocean 4	B	<b>40446</b>
Offshore 8 & 10, Transocean 6 & 8, Transocean Plus 6, Capri 6, Ibiza 6 & 8	C	<b>40447</b>
Offshore Plus 10, Transocean 10 & 12, Ibiza 10, Transocean Plus 8, 10 & 12, Capri 8 & 10	D	<b>40448</b>



## Anti-theft cable without padlock

Hydrostatic release unit : **300550\***

(See page 104 for hydrostatic release units).

- For cradle B : **40450**
- For cradle C : **23136**
- For cradle D : **40452**

\* A hydrostatic release unit can be installed only on Plastimo liferafts manufactured after 1997.

Deck-mount cradle + straps, shown here with all optional extras : hydrostatic release unit, anti-theft cable and padlock.

Type of cradle	Position of liferaft			Compatibility* with a hydrostatic release unit
	Horizontal, deck-mount	Vertical, pushpit-mount	Vertical, transom-mount	
Universal	✓	✓	✓	-
Deck-mount standard	✓	-	-	-
Deck-mount with straps	✓	-	-	✓

\* This cradle is the only model compatible with a hydrostatic release unit (Pains Wessex or Hammar).